Product datasheet

Specification





Front plate, PrismaSeT P and G, for enclosure W300, plain type, 1M, white, RAL 9003

LVS03811

Main

Range	PrismaSeT
Range Of Produc	PrismaSeT G PrismaSeT P
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	PrismaSeT PrismaSeT G duct PrismaSeT PrismaSeT P cubicle PrismaSeT PrismaSeT Pack 250 duct
Type Of Front Plate	Plain

Complementary

•	
Enclosure/Cubicle Description	Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle duct - width 400 mm depth 400 mm Pack enclosure - width 300 mm
Number Of Vertical Modules [50 Mm]	1
Standards	IEC 61439-1 IEC 61439-2
Product Certifications	ASTA
Material	Steel
Surface Finish	Textured Matt
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	50 mm
Width	250 mm
Net Weight	0.18 kg
Quantity Per Set	Set of 1
Functional Unit	400 mm 400 mm PrismaSeT P cubicle 300 mm PrismaSeT G floor-standing duct 300 mm PrismaSeT G wall-mounted duct 300 mm Prisma Pack 250 Pack enclosure

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm

Package 1 Width	6.5 cm
Package 1 Length	27.5 cm
Package 1 Weight	177 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	24
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	4.519 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	192
Package 3 Height	28 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	48 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance


⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
9	Mercury Free
②	Rohs Exemption Information Yes
⊘	Pvc Free
⊘	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Technical illustration

Dimensions



- All dimensions are approximate and are in mm. Also see technical documentation.