Product datasheet

Specifications

Green Premium™

Door, PrismaSeT G, plain type with frame, 19M, W600, IP55, white, RAL 9003

LVS08325

Main

Range	PrismaSeT
Range Of Produc	PrismaSeT G
Product Or Component Type	Door
Range Compatibility	PrismaSeT PrismaSeT G enclosure
Provided Equipment	door handle keylock (key 405) other keylock and insert to be ordered separately 2 hinge
Type Of Door	Plain
Ip Degree Of Protection	IP55

Complementary

Installation Description	Wall-mounted enclosure - width 600 mm Extension enclosure - width 600 mm
Door Opening Side	Reversible
Number Of Locks	3
Door Opening Angle	180 °
Number Of Vertical Modules [50 Mm]	19
Enclosure Material	Treated sheet steel
Quantity Per Set	Set of 1
Height	1050 mm
Width	600 mm
Depth	26 mm
Net Weight	16.2 kg
Surface Finish	Matt Textured
Colour	White (RAL 9003)

Environment

Ik Degree Of Protection	IK10 conforming to EN/IEC 62262
Standards	IEC 61439-2 IEC 61439-1
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.0 cm
Package 1 Width	60.5 cm
Package 1 Length	104.0 cm
Package 1 Weight	15.957 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	10
Package 2 Height	86.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	172.0 kg

Sustainability ![Green Premium](Green Premium™)

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

## Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation   China RoHS declaration

                                        Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations

Dimensions

25.5

1020.5

570

65.1

- All dimensions are approximate and are in mm.
- Also see technical documentation.