Product datasheet

Specifications

Green Premium™

25

Angle bracket, Linergy BS, copper, 250A, set of 4

LVS04190

Main

Range	Linergy
Range Of Produc	Linergy
Product Or Component Type	Angle bracket
Product Name	Linergy BS
Accessory / Separate Part Category	Installation accessory
Range Compatibility	Linergy Linergy BS busbar PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Cubicle-Device Connection	Rear busbar: vertical by screws Rear busbar: horizontal by screws
[Ie] Rated Operational Current	250 A

Complementary

Installation Description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle Cubicle duct Floor-standing enclosure - width 850 mm
Material	Copper
Quantity Per Set	Set of 4
Colour	Natural
Net Weight	0.485 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	6 cm
Package 1 Length	9 cm
Package 1 Weight	469 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	5
Package 2 Height	15 cm
Package 2 Width	30 cm

Package 2 Length	40 cm
Package 2 Weight	2.607 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	40
Package 3 Height	28 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	33 kg

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Dimensions

52

40

20

- All dimensions are approximate and are in mm.
- Also see technical documentation.