


Product datasheet

Specifications



Connection transfer assembly, PrismaSeT P, in duct for fixed horizontal NSX250 with toggle, 4P

LVS04426

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Connection transfer assembly
Product Name	PrismaSeT PrismaSeT P enclosure
Accessory / Separate Part Category	Current distribution accessory
Standards	IEC 61439-2, inside enclosure IEC 61439-1, inside enclosure
Product Certifications	ASTA

Complementary

Cubicle-Device Connection	connection transfer assembly
Poles Description	4P
Installation Description	Cubicle - width 650 mm
Installed Device	ComPact: fixed NSX100...160 without earth leakage protection - control: toggle horizontal installation ComPact: fixed NSX250 without earth leakage protection - control: toggle horizontal installation
[Ie] Rated Operational Current	250 A
Busbar Cross Section	20 x 3 mm
Height	200 mm
Width	350 mm
Net Weight	5.18 kg
Quantity Per Set	Set of 1
Functional Unit	650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed toggle horizontal 4P 1 direct 4 650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed toggle horizontal 4P 1 direct 4

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	16.500 cm
Package 1 Width	27.000 cm
Package 1 Length	40.500 cm
Package 1 Weight	5.127 kg

Unit Type Of Package 2	P12
Number Of Units In Package 2	26
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	144.000 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)



Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.