


Product datasheet

Specifications



Connection transfer assembly, PrismaSeT P, for NS1000, 3P, horizontal fixed, in duct

LVS04483

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Connection transfer assembly
Product Name	PrismaSeT PrismaSeT P enclosure
Accessory / Separate Part Category	Connection accessory
Standards	IEC 61439-2, inside enclosure IEC 61439-1, inside enclosure
Product Certifications	ASTA

Complementary

Cubicle-Device Connection	connection transfer assembly
Poles Description	3P
Installation Description	Cubicle + duct - width 650 mm
Installed Device	ComPact: fixed NS630b...1000 - control: toggle horizontal installation ComPact: fixed NS630b...1000 - control: direct front rotary handle horizontal installation
[Ie] Rated Operational Current	1600 A
Busbar Cross Section	80 x 10 mm
Height	375 mm
Width	577 mm
Depth	350 mm
Net Weight	17.727 kg
Quantity Per Set	Set of 1
Functional Unit	650 mm 400 mm PrismaSeT P cubicle + duct ComPact NS630b...1000 fixed toggle horizontal 3P 1 connection transfer assembly 8 650 mm 400 mm PrismaSeT P cubicle + duct ComPact NS630b...1000 fixed direct front rotary handle horizontal 3P 1 connection transfer assembly 8

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.0 cm
Package 1 Width	36.5 cm
Package 1 Length	64.5 cm

Package 1 Weight	17.191 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	13
Package 2 Height	68.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	235.0 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

✓ Pvc Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)


Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.