


Product datasheet

Specifications



Front connection cover, PrismaSeT P, for NS1600 vertical fixed

LVS04851

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P
Product Or Component Type	Front connection cover
Accessory / Separate Part Category	Interface accessory
Range Compatibility	PrismaSeT PrismaSeT P framework
Cubicle Partitioning Form	Form 1

Complementary

Installation Description	Cubicle - width 650 mm, depth 400 mm
Installed Device	Vertical fixed NS630b...1600
Quantity Per Set	Set of 1
Width	573 mm
Net Weight	9.06 kg
Surface Finish	Matt Textured
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	62.000 cm
Package 1 Length	67.500 cm
Package 1 Weight	9.500 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	20
Package 2 Height	86.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	191.000 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Pvc Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information


Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.