Product datasheet

Specification





Rear panel & door, PrismaSeT G, for extension duct, 19M, W300mm, H1050mm, IP55

LVS08345

Main

Range	PrismaSeT	
Range Of Produc	PrismaSeT G	
Product Or Component Type	Door Rear panel	
Device Application	Low voltage electrical distribution	
Enclosure Type	Functional enclosure delivered in kit form	
Provided Equipment	1 x door for enclosure	
Additional Information	Can be combined side by side and one on top of another	
Type Of Front Plate	Without	
Number Of Vertical Modules [50 Mm]	[50 19	
Number Of 18 Mm Modules Per Row	10	

Complementary

[Ui] Rated Insulation Voltage	1000 V	
[In] Rated Current	630 A at 40 °C conforming to IEC 61439-2	
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Surface Finish	Finish Matt Smooth	
Colour	White (RAL 9001)	
Width	300 mm	
Height	1050 mm	
Depth	260 mm	
Net Weight	17.84 kg	
Quantity Per Set	Set of 1	

Environment

Ip Degree Of Protection	IP55 with door
Ik Degree Of Protection	IK10 with door conforming to EN/IEC 62262
Mechanical Robustness	Seismic tests - 2.5G conforming to IEC 60068-2-57

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	11 cm
Package 1 Width	34 cm
Package 1 Length	104 cm
Package 1 Weight	17.748 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	8
Package 2 Height	56 cm
Package 2 Width	80 cm
Package 2 Length	120 cm
Package 2 Weight	154 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >






Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations



- All dimensions are approximate and are in mm.
- Also see technical documentation.