Product datasheet

Specification





Plain gland plate, PrismaSeT P, IP55, for enclosure W 400mm D 400mm

LVS08484

Main

Range Of Produc	PrismaSeT P	
Range	PrismaSeT	
Range Compatibility	PrismaSeT PrismaSeT P cubicle duct	
Product Or Component Type	Gland plate	
Product Compatibility	IP55 enclosure	

Complementary

Enclosure/Cubicle Description	Cubicle duct - width 400 mm	
Type Of Gland Plate	Plain	
Material	Treated sheet steel	
Quantity Per Set	Set of 1	
Width	400 mm	
Depth	400 mm	
Net Weight	2.28 kg	
Surface Finish	Textured Matt	
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Colour	White (RAL 9003)	

Environment

Ip Degree Of Protection IP55

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	28.0 cm
Package 1 Length	38.5 cm
Package 1 Weight	2.212 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	48
Package 2 Height	43.0 cm

Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	118.0 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance


⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information Yes	
Ø	Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Technical illustration

Dimensions



- All dimensions are approximate and are in mm. Also see technical documentation.