Product datasheet

Specifications







Main

Range	PrismaSeT
Range Of Produc	PrismaSeT G
Product Or Component Type	Сапору
Accessory / Separate Part Category	Enclosure accessory
Range Compatibility	PrismaSeT PrismaSeT G enclosure
Ip Degree Of Protection	IP31

Complementary

Installation Description	Wall-mounted enclosure - width 600 mm Floor-standing enclosure - width 600 mm
Quantity Per Set	Set of 1
Height	45 mm
Width	600 mm
Depth	280 mm
Net Weight	2.64 kg
Surface Finish	Matt Textured
Material	Treated sheet steel
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	30.0 cm
Package 1 Length	62.5 cm
Package 1 Weight	2.636 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	45
Package 2 Height	110.0 cm
Package 2 Width	80.0 cm

Package 2 Length	120.0 cm
Package 2 Weight	130.5 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance


Ø	Reach Free Of Svhc
Ø	Toxic Heavy Metal Free
Ø	Mercury Free
②	Rohs Exemption Information Yes
⊘	Pvc Free
⊘	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Technical illustration

Dimensions



- All dimensions are approximate and are in mm. Also see technical documentation.