Pre-assembled body, gasket and cover

Applications:

Form 7 Condulets are installed in conduit systems to:

- Act as pull outlets for conductors being installed
- Provide an opening for making splices and taps in conductors
- Connect conduit sections
- Provide taps for branch conduit runs
- Make 90° bends in conduit runs
- Provide access to conductors in a conduit system for maintenance and future system changes

Features:

- All SnapPack[™] product is individually barcoded to facilitate more efficient inventory control
- Distributors and end-users need to stock a single SKU instead of three separate component numbers – order the body, cover and gasket with one catalog number, saving transaction costs, and making product selection and merchandising fast and easy
- Form 7 conduit bodies are compact with a round back design for neat, efficient installations
- Conduit hubs have tapered threads and integral bushings for protection of wire insulation
- Many shapes and trade sizes available
- Sheet steel wedge nut cover is provided with integral gasket; the wedge nut design facilitates installation and removal; nuts and screws are held captive in cover
- Cover screws are stainless steel with a combination slotted and Phillips head, for easy installation and superior corrosion protection

Certifications and compliances:

- UL standard: UL514B
- CSA standard: C22.2 No. 18
- UL50E dusttight Type 12

Standard materials:

- Body Feraloy iron alloy
- Gasket urethane
- Cover sheet steel
- Cover screws stainless steel

Standard finishes:

- Feraloy electrogalvanized with aluminum acrylic paint
- Sheet steel electrogalvanized

Ordering information:

Hub size	Shape	Cat. #	
1/2" 3/4"	С	C17 CG	
3/4"	C	C27 CG	
1″	C	C37 CG	The section of the se
1 ¹ / ₄ "	C	C47 CG	and an OB
11/2"	C	C57 CG	
2″	C	C67 CG	
1/2"	LB	LB17 CG	Contract Contraction
3/4"	LB	LB27 CG	
1"	LB	LB37 CG	a self and a good to
11/."	LB	LB47 CG	and the second second second
11/2"	LB	LB57 CG	and the second second second
1 /4 1 1/2" 2"	LB	LB67 CG	
1/2"		LL17 CG	
3/4"		LL27 CG	and the second se
³ / ₄ " 1"	LL	LL37 CG	A DESCRIPTION OF THE REAL PROPERTY OF THE REAL PROP
11/."		LL47 CG	
1 ¹ / ₂ " 2"		LL57 CG	
2"		LL67 CG	
1/2"	LR	LR17 CG	
3/4"	LR	LR27 CG	
1"	LR	LR37 CG	
11/."	LR	LR47 CG	
1 ¹ / ₂ " 2"	LR	LR57 CG	
2"	LR	LR67 CG	
1/."	T	T17 CG	
	T	T27 CG	and the second s
1"	T	T37 CG	
4 + 1 11	T	T47 CG	
1/4 11/2″	T	T57 CG	
1 ¹ / ₄ " 1 ¹ / ₂ " 2"	T	T67 CG	
<u></u> 1/_"	TB	TB17 CG	100 C 100
3/."	TB	TB17 CG	
^{1/2} " ^{3/4} " 1"	TB	TB37 CG	
11/4"	TB	TB47 CG	A Company of the State of the S
1 ¹ / ₄	TB	TB47 CG	alo makers (20)
2"	TB	TB57 CG	
1/-"	<u>ть</u> Х	X17 CG	
1/2" 3/4"	X X	X17 CG X27 CG	
³ / ₄ 1″	<u>х</u> Х	X37 CG	
11/"		X47 CG	
$\frac{1^{1}}{4^{''}}$	X	X47 CG X57 CG	
1 ¹ / ₂ "	X		1226
2"	Х	X67 CG	

Form 7 Condulets and covers are available in additional configurations, sizes and materials. For a complete listing, refer to Form 7, Form 8 and Mark 9 conduit bodies and covers.