Product datasheet

Specification





Mounting plate, PrismaSeT G, recessed slotted type, for enclosure, 4M, W600mm

LVS03171

Main

Range	PrismaSeT	
Range Of Produc	PrismaSeT G	
Product Or Component Type	Mounting plate	
Accessory / Separate Part Category	Installation accessory	
Range Compatibility	PrismaSeT PrismaSeT G enclosure	
Installation Description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm	
Mounting Plate Description	Recessed slotted	
Installed Device	Phaseo: LV/LV transformer	
Number Of Vertical Modules [50 Mm]	4 module(s): LV/LV transformer in 600 mm Widefloor-standing enclosure 4 module(s): LV/LV transformer in 600 mm Widewall-mounted enclosure	
Standards	IEC 61439-2	
Product Certifications	ASTA	

Complementary

Material	Steel
Surface Finish	Galvanized
Width	600 mm
Height	200 mm
Net Weight	0.74 kg
Functional Unit	600 mm PrismaSeT G floor-standing enclosure Phaseo LV/LV transformer 4 12.5 mm 600 mm PrismaSeT G wall-mounted enclosure Phaseo LV/LV transformer 4 12.5 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	18.5 cm
Package 1 Length	46.5 cm
Package 1 Weight	731.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	10

Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	7.918 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	120
Package 3 Height	108.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	108.5 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance


⊘	Reach Free Of Svhc
Ø	Toxic Heavy Metal Free
②	Mercury Free
②	Rohs Exemption Information Yes
⊘	Pvc Free
②	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Technical illustration

Dimensions





- All dimensions are approximate and are in mm. Also see technical documentation.