


Product datasheet

Specifications



Front plate, PrismaSeT P and G,
for modular device, 2M, W600/
W650, white, RAL 9003

LVS03202

Main

Range	PrismaSeT
Range Of Product	PrismaSeT G PrismaSeT P
Product Or Component Type	Front plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle PrismaSeT PrismaSeT Pack 250 enclosure
Type Of Front Plate	Modular Cut-out
Installed Device	Acti 9: fixed 1/2 or 1 module lamp - horizontal installation Acti 9: fixed measurement device - horizontal installation Multi9: fixed measurement device - horizontal installation

Complementary

Enclosure/Cubicle Description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 600 mm
9 Mm Pitches	48
Number Of 18 Mm Modules Per Row	24
Number Of Vertical Modules [50 Mm]	2
Standards	IEC 61439-1 IEC 61439-2
Product Certifications	ASTA
Material	Steel
Surface Finish	Matt Textured
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	100 mm
Width	500 mm
Net Weight	0.36 kg
Quantity Per Set	Set of 1

Functional Unit	600 mm PrismaSeT G floor-standing enclosure Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 600 mm PrismaSeT G wall-mounted enclosure Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 650 mm 400 mm PrismaSeT P cubicle Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 600 mm PrismaSeT G floor-standing enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm PrismaSeT G wall-mounted enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm PrismaSeT G floor-standing enclosure Multi9 measurement device fixed horizontal 6 direct 2 600 mm PrismaSeT G wall-mounted enclosure Multi9 measurement device fixed horizontal 6 direct 2 600 mm Prisma Pack 250 Pack enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma Pack 250 Pack enclosure Multi9 measurement device fixed horizontal 6 direct 2
------------------------	---

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	11.5 cm
Package 1 Length	51.5 cm
Package 1 Weight	357.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	17.0 cm
Package 2 Width	13.0 cm
Package 2 Length	53.5 cm
Package 2 Weight	3.724 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	180
Package 3 Height	37.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	78.0 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)


Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.