
Product datasheet

Specifications





Blanking plate, PrismaSeT P & G, for front plate, L1000mm

LVS03220

Main

Range	PrismaSeT
Range Of Produc	PrismaSeT P PrismaSeT G
Product Or Component Type	Blanking plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	PrismaSeT PrismaSeT P front plate PrismaSeT PrismaSeT G front plate

Complementary

Installation Description	Cubicle Wall-mounted enclosure Floor-standing enclosure Pack enclosure
Quantity Per Set	Set of 1
Height	46 mm
Width	1000 mm
Net Weight	0.12 kg
Material	Plastic
Colour	White (RAL 9001)

Packing Units

_	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.500 cm
Package 1 Width	5.800 cm
Package 1 Length	100.000 cm
Package 1 Weight	139.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	2.000 cm
Package 2 Width	5.800 cm
Package 2 Length	100.000 cm
Package 2 Weight	720.000 g
Unit Type Of Package 3	CAR

Number Of Units In Package 3	75
Package 3 Height	10.000 cm
Package 3 Width	22.000 cm
Package 3 Length	102.500 cm
Package 3 Weight	11.220 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations